

PIPER Comfort

Hybrid semi adjustable standard rehab-buggy



PIPER Comfort is the new state of the art comfort rehab-buggy. Fully foldable lightweight aluminum frame. Buggy is equipped with seat base with adjustable calf rest, extended reclining backrest, solid wheels of 175/225mm, big detachable and adjustable footrest, 5-point belt with shoulder pads. Backrest is equipped with flexible multi-anchoring system for optimal accessory shoulder alignment. The variability of the buggy and the ability to attach a wide range of accessories, ensure the Piper meets the majority of user requirements. The correct usage of the product should be consulted with a seating specialist. Products correspond to the newest EC standards as well as hygienic, technical and safety requirements.

Standard equipment:

- seat depth non-adjustable
- extended backrest height non-adjustable
- backrest recline adjustable
- footrest height adjustable, detachable
- seat width adjustable by FLEXI-pads set (**) (optional eq.)
- 5-point immo.harness with crotch belt and shoulder padding
- 175/225 mm solid wheels, front with swivel lock
- detachable wheels, forks
- one-piece foldable handle
- basket, transportation lock
- frame colours and cover patterns according to the current offer
- tie downs for transportation



folded buggy

Optional equipment:



Flexipads set



Headrest adjustable



Abduction Block



Feet fixation



Canopy Classic



Raincover



Footmuff - Summer



Footmuff - Winter



Seat inlay (seat size reduction)



Padded footplate raiser



Tie Downs

Growing functions



With the Seat inlay and footrest raiser set is possible to use for small children from two years of age



Positioning



seat positioning



footrest positioning



DESIGN OPTIONS





	with Seat inlay / footrest raiser	PIPER Comfort
	Backrest height [cm]	68 68
Seat depth [cm]	24	29
Seat width [cm]	23/27	35
Seat to footrest [cm]	15-27.5	25-37.5
Backrest angle	90° - 135°	90° - 135°
Seat angle	26°	26°
Total lenght [cm]	108	108
Total width [cm]	59	59
Total height/with handle [cm]	100	100
Brake	foot oper.	foot oper.
Weight	14,5 kg	14,5 kg
Maximum load	50,0 kg	50,0 kg
Folded buggy length [cm]	102	102
Folded buggy width [cm]	31	31
Folded buggy height [cm]	30	30



