



# POSTURE & MOBILITY

---

## CATALOGUE

---

EDITION 9.1 - PRINTED AUGUST 2021





# REHABILITATION MANUFACTURING SERVICES LIMITED

RMS are a British manufacturer with over **40 years of experience** supplying the NHS, the medical trade and individuals. We are fully committed to our users and those who care for them to create market leading innovative inclusive solutions.



With our state of the art manufacturing facility based in the South-East of England, we specialise in producing a wide range of premium quality mobility equipment and crafting unique customisations to **satisfy the needs of any disability**.

We offer a **free nationwide assessment service** which are carried out by one of our experienced product specialists. Should you then require any guidance on your new product, our in-house technical department are on hand to give support and advice.



# CONTENTS

---

## SEATING

Virtus Dynamic Seating System	6
Caddy Modular Seating System	8
Kudu with RMS Seat Cushions	10
Ormesa Juditta	12
Dory Wheelchair Base	14
NXT Backrest Range	16
Seatmatch	18
Tension Adjustable Backrest	19
Drop in Seat	19

## BUGGIES

My-Lyte Discovery	22
Marley	24
Ormesa Bug	26
Ormesa Clip	28
Piper Comfort	29
Convoid Cruiser	30
Corzo Xcountry	31

## BELTS & HARNESES

Chest Harnesses	34
Chest Straps	36
Soloc Belts	37
Pelvic Belts	38
Anklesures	40
Foot Caps	41
Thigh Straps	41

## HEADRESTS

RMS Headrest Range	44
Rollercoaster Headrest	48
Heads First	49
Quick Release Mounting	52
RMS Headrest Brackets	54
Specialist Seating Mount	57

## SUPPORTS

Lateral Supports	60
Flip Down Pommel	62
Knee Abductor Pads	63
Arm Supports	64
Stump Boards	65
Foot Supports	66

## ACCESSORIES

Trays	72
Lock and Latch Systems	74
Calf Panels	75
Oxygen Cylinder Carriers	76
Control Mount	77

## PARTS & REFERENCES

Component Part Guide	80
Reference Tables	88
RMS Loan Stock	96



## LATEST INNOVATION



**SOLOC - PAGE 37**

## NEW PRODUCT



**VIRTUS - PAGE 6**

## UNIQUE DESIGN



**MY-LYTE - PAGE 22**

## BEST SELLER



**LATERALS - PAGE 60**

# SEATING

**VIRTUS SEATING SYSTEM**

**6**

**CADDY MODULAR SEATING**

**8**

**KUDU WITH CONTOUR SEATING**

**10**

**ORMESA JUDITTA**

**12**

**DORY WHEELCHAIR BASE**

**14**

**NXT BACKRESTS**

**16**

**SEATMATCH**

**18**

**TENSION BACKREST**

**19**

**DROP IN SEAT**

**19**

**NEW**

# VIRTUS

## NEW AND INNOVATIVE ADVANCED SEATING SYSTEM



The Virtus Seating System is designed to meet the needs of users who have an inability to maintain a symmetrical and unsupported sitting posture and require extensive postural support while seated.

The Virtus is fully adjustable and configurable - and can be interfaced to a wide range of wheelchair, high/low and mobility bases. The Virtus is compatible with a selection of accessories - allowing the seat to grow with the individual, continuing to meet the postural needs of the user whilst also ensuring a cost effective and long lasting seating solution.

The Virtus has an innovative dynamic backrest which allows the user to extend safely - the backrest moving with them - then returns them to a correct neutral position. This means they are kept in a position of positive posture at all times rather than being allowed to slide down the seat.

For those who would prefer a more solid seating position the Virtus is also available with a permanently fixed backrest option.

## CRASH TESTING





The Virtus has been crash tested to ISO16840-4 - meaning that it can be used on a crash tested base for transport without having to transfer the user.






## KEY FEATURES

- > Facilitate normal movement and control abnormal movement patterns
- > Normalise muscle tone
- > Maintain skeletal alignment
- > Accommodate leg length discrepancy
- > Manage back pressure and prevent the development of pressure sores
- > Promote regular bowel functions
- > Enhance automatic nervous system
- > Increase comfort and relaxation

## AVAILABLE COMPONENTS



## UPHOLSTERY COLOUR OPTIONS



# CADDY

## FULLY FLEXIBLE POSTURAL SEATING




The Caddy has an incredible range of flexibility, enabling the prescriber to accommodate many conditions in just one seating system. With a seat width and depth from as small as 20cm x 20cm right up to 50cm x 50cm, along with a wide range of mobility base interfaces, there is a Caddy that is right for every user, no matter what level

of postural support they require.

The Caddy offers amazing clinical support and provides superior pelvic stability - making sure the pelvis remains in a correct position at all times. The back support can then be sculpted to fit the user, reducing sores and ensuring that the spine is maintained in a postural way.

## COLOURS



## KEY FEATURES

- > Normalise skeletal and body tone
- > Provides fixed stable base of support
- > Promote comfort and relaxation
- > Crash tested to ISO16840-4
- > Highly modular to suit any needs
- > Manage pressure sores effectively
- > Fits a wide variety of mobility bases
- > Range of bright upholstery colours

## AVAILABLE COMPONENTS



BACKREST




HEADREST



LEG ABDUCTOR



KNEE ADDUCTOR



SEAT SUPPORT



PELVIC STABILITY



SHOULDERS



TRUNK WRAPS

## INTERFACES TO A VARIETY OF MOBILITY BASES



REA AZALEA BASE



ZIPPIE RS BASE



DISCOVERY BASE

**NEW**

# KUDU

## TILT IN SPACE WHEELCHAIR WITH RMS SEATING

The Kudu is a rigid frame, tilt-in-space, reclining paediatric wheelchair that has been designed to offer exceptional adjustability while also addressing any clinical needs of the child. Adjustable backrest heights and seat depth provides excellent growth within the system, coupled with a range of backrest recline that can be adjusted easily and simply without the need for tools.

With the Kudu wheelchair base manufactured by R82, RMS have partnered up to produce a range of exclusive contoured seat cushions to offer medium to high levels of postural support and make the Kudu a more accessible option for the



paediatric market. The RMS seating cushions are available in a range of upholstery colours and a variety of contour shapes - We also supply a selection of British-made accessories, headrests, belts and harnesses that simply bolt onto the existing Kudu frame to further enhance postural support.



## GRAVITY STABILITY

With a backrest recline of  $-5^{\circ}$  to  $30^{\circ}$  and self centre tilt in space of  $-3^{\circ}$  to  $45^{\circ}$  - the Kudu uses an innovative hydraulic lever system that means the centre of gravity when tilting stays between the rear wheels, ensuring the stability of the wheelchair whilst allowing for easy and weightless adjustment of the tilt-in-space with very little effort from the care giver.



## KEY FEATURES

- > Adaptable growth within the frame with height and backrest adjustment
- > Compatible with a wide range of original R82 and RMS accessories
- > Fully crash tested to ISO7176-19
- > Three horizontal positions of the rear wheels for better centre of gravity
- > Removable wheels for compact frame folding during transportation
- > Range of frame + upholstery colours

## CREATE HUNDREDS OF CONFIGURATIONS



TRANSIT WHEELS, PUSH BRACE,  
ONE PIECE FOOTBOARD  
AND DRUM BRAKES



SELF-PROPEL WHEELS, PUSH  
BRACE, SINGLE FOOT PLATES  
AND WHEEL BRAKES



WHITE GLOSS FRAME



RED GLOSS FRAME



GREY GLOSS FRAME




ORANGE FABRIC



BLUE FABRIC



PINK FABRIC




BLACK FABRIC

# ORMESA JUDITTA

## AN EVOLUTION IN COMFORT

Crash tested to ISO7176-19, the Juditta is a tilting and reclining comfort wheelchair from Ormesa for adults and the elderly with reduced mobility. Juditta's backrest supports correct posture, offering stability and preventing contractures and the onset of deformities. The seat's viscoelastic cords adapt to each users anatomy, wrapping their body in a supremely effective way, helping to prevent rubbing and pressure sores.

## DISTRIBUTED PRESSURE RELIEF



The user's weight is evenly distributed across the seat area and backrest, relieving pressure on the lower back and hips. The special shape and material of the seat prevents the build-up of pressure along the length of the spine. The reclining backrest and tilting seat area adjusts to provide the best support in any given situation, allowing pressure to be reduced at various points and thus minimizing the risk of sores.

## FULLY ADJUSTABLE DESIGN



COMES WITH  
A CHOICE OF  
FRAME AND  
UPHOLSTERY  
COLOURS



**NEW**

# DORY



## DORY WHEELCHAIR BASE - KEY FEATURES

- Ideal tilt-in-space wheelchair base for a wide variety of clinical applications
- Choose between either a folding easy-to-transport frame or a fixed solid frame
- Three different sizes available, each size then comes with further width adjustment
- Comes with up to 55cm seat depth adjustment and a range of 50° tilt-in-space
- Innovative system with an adjustable centre of gravity for enhanced stability
- Fully crash tested to ISO7176-19 for transportation



## TILTING FRAME

The Dory offers an extensive range of movement in the frame with 50° of tilt-in-space. The frame can be ordered in two standard configurations; one with 0° to 50° range, the other with -5° to 45° of range allowing for forward tipping - making it easier for users to transfer in and out of the wheelchair.

## FOLDING OR FIXED

The Dory is available in two configurations with either a rigid or folding frame - this means the Dory is perfect for a wide range of clinical settings - either a more secure fixed option to be permanently set up, or the folding option which can be easily collapsed down and packed away for transportation.



## VERSATILE INTERFACE

The Dory frame uses an extremely adaptable design that can be interfaced to virtually any third party seating system. The Dory is even better suited to match with our Caddy Modular Seating System which can be seen on **Page 8**; or the Virtus Dynamic Seating System which you can read more about on **Page 6**.

## STANDARD PARTS

- > Height adjustable push handles
- > 150mm solid front castors
- > 300mm solid rear wheels
- > Push lock brakes
- > Tie down points for transportation
- > Seat rail extensions for seat depth

## OPTIONAL ACCESSORIES

- > Various wheel and castor sizes
- > Hub brakes
- > Armrests and footrests
- > Plastic moulded tray
- > Range of belts and harnesses
- > Ventilation and oxygen carriers

# NXT BACKRESTS

## HEIGHT ADJUSTABLE BACKREST

The NXT Xtend™ Deep Backrest is an extremely versatile back support with height adjustability, allowing posture to be targeted for proper support of the thoracic region. Available in standard and low options - the Xtend™ Deep is the most competitively priced backrest of its kind on the market, you don't pay extra for fitting kits or brackets - the price you pay gives you everything you need to easily and quickly fit the backrest.

Each model comes with over 10cm of vertical height adjustable movement, sizes ranging from 40cm to 66cm wide, meaning the backrest can be matched to the exact postural needs of the user. The built-in thoracic supports can then be further adjusted to make sure the user is as comfortable and supported as possible.

### KEY FEATURES

- > Two-piece lightweight aluminium height adjustable shell.
- > Dual density foam back cushion
- > Depth adjustable lateral for advanced posture support.
- > Choose standard/low back options
- > Comes in paediatric to adult sizes



## NXT MULTIFIT HEAD SUPPORT



- > The NXT Multifit Head Support comes in three different sizes; contoured, large, and extra large
- > Has curved depth and angle adjustment feature for a wide range of settings
- > Posts can be set in different orientations with latch style clamp for easy adjustment



## UFIT™ CUSTOMISABLE CONTOURS



The UFIT™ Backrest is designed to be customised to fit users with Scoliosis, Kyphosis and other spinal deformities. The main foam support layer is comprised of customisable UCube™ blocks, which can be removed or cut to create a unique fit, reducing pressure across the backrest for a better fit.



UCUBE™



CUSTOM

## ARMADILLO BACKREST

The Armadillo multi-adjustable backrest provides excellent postural support with a gentle contour and optional lateral and pelvic supports. The NXT Armadillo excels at providing support to the PSIS, ideal for supporting optimal or neutral pelvic positions in an easy step by step process. The Armadillo comes in two main models, either a 40cm and a 45cm high back, fitting wheelchair widths of 35cm to 66cm.

### KEY FEATURES

- > Allows for proper placement of the gluteal shelf
- > 3 section modular adjustable shell
- > Incrementally adjustable width, height, depth and angle
- > Dual layer density foam back cushion



# SEATMATCH

## INNOVATIVE SEATING

Seat match is at the forefront of innovation and development in this sector, utilising the latest technology to improve quality and efficiency when manufacturing custom parts. Made using the latest CAD/CAM technology in combination with a 7-axis robot carver, we are able to provide bespoke seating products that are perfectly shaped to the users requirements with the lowest lead times in the market, while also providing superior quality.



## PREMIUM QUALITY AND UNIQUE

When designing new products we ensure that every material we use has been selected because of its durability and pressure relieving qualities, giving you the highest quality product possible. All of our foams are sprayed with a water-resistant spray to prevent damage and every seat is supplied with two machine washable covers.

## HIGHLY SPECIALISED SEATING

- > Custom Carved Seating (CCS) is perfect for clients spending long periods of time in their chairs where they are unable to change their own posture.
- > CCS provides a total contact solution with equal distribution of pressure across the whole area of the seat, with differing foam densities for the level of support required.

We specialise in products built specifically to our clients needs - call **01795 477280** or visit **[www.rms-kent.co.uk](http://www.rms-kent.co.uk)** to find out more!



# TENSION BACKREST

---

## FOR LOW LEVELS OF POSTURAL SUPPORT



A Tension Adjustable Backrest is designed to replace a standard sling back. It has a number of horizontal straps which can be used to tension the back support - by using this design the back support can be contoured in a corset-like manner to match the 'natural' curves of the users spine.

All our Tension Adjustable Backrests are made to order to perfectly match the wheelchair they are going to be fitted to. Simply contact our friendly team to give us the dimensions of your chair. All backrests are supplied complete with cushioned cover.


---

# DROP IN SEAT

---

## REPLACES FLIMSY CLOTH SEATING

When using a drop in seat the original wheelchair seat canvas is removed and a rigid seat board, mounted on four drop-hooks, is mounted directly onto the wheelchair frame. Virtually any choice of cushion can then be mounted onto the seat board in conjunction with our lock and latch systems - which can be found on **Page 74** of this catalogue.



A drop in seat also allows for the fitting of accessories which can't be done on a cloth seat, such as flip down pommels - found on **Page 62** - and a wide range of other accessories to help improve the posture of the user.

# BUGGIES

**MY-LYTE DISCOVERY**

**22**

**MARLEY**

**24**

**ORMESA BUG**

**26**

**ORMESA CLIP**

**28**

**PIPER COMFORT**

**29**

**CONVAID CRUISER**

**30**

**CORZO XCOUNTRY**

**31**

# MY-LYTE DISCOVERY

## ATTRACTIVE AND ERGONOMIC OUTDOOR BUGGY

The My-Lyte Discovery is a hybrid buggy incorporating the popular tried and tested Shuttle Discovery seat unit onto the new My-Lyte base - a highly durable and lightweight outdoor push chair frame exclusively manufactured by RMS.






The My-Lyte Discovery incorporates seamlessly into your child's daily routine, whilst providing superior postural support. Available in six different colours, this good-looking buggy breaks the norm of special needs medical buggies, giving parents an attractive and easy to use alternative.

The modular design can be easily altered with a wide range of parts and accessories, perfect for if the child's needs evolve over time. All attachments have easy access zips so covers can be removed for simple machine washing. There is also a 'wipe-down' fabric option for messy children!

## KEY FEATURES

- > Highly modular supports and accessories to promote better posture
- > Easy to clean covers and accessories for any spills or accidents
- > 90° to 160° of tilt-in-space and up to 30° of backrest recline
- > Sleek and compact design that folds for flexible storage
- > Crash tested to ISO-7176-19 for use in transportation

## UPHOLSTERY COLOURS





# MARLEY

## EYE-CATCHING SPECIAL NEEDS BUGGY

Manufactured by RMS the eye-catching looks of the Marley combine simplicity and effectiveness in one design. The Marley has been designed to meet the child's postural needs, with a practical design for daily family living. A versatile buggy available in two sizes with a full range of accessories that complement the many standard features.



## KEY FEATURES

- > Height adjustable ergonomic handle
- > Shopping basket fitted as standard
- > Full range of accessories available
- > Compact and easy to fold
- > Pelvic belt fitted as standard
- > Available in two sizes
- > Tilt in space design
- > Fully adjustable frame
- > Crash tested to ISO7176-19

## ASTUTE DESIGN

The Marley has been designed by our highly specialised in house R+D team. This means every aspect of the design has been approached in a careful and considerate way, ensuring the end product meets a range of postural needs.

The Marley frames get delivered to our specialised factory in Kent, where our upholstery department then manufacture each seat to your very own specifications. This means we can make any small changes to cushions or covers that you may require with minimal fuss. Before leaving our factory each Marley is checked by our dedicated quality control department, ensuring you receive your new buggy in perfect condition.




## EASY TRANSPORTATION AND STORAGE




The Marley buggy can be quickly and easily folded in one simple step to a compact size, perfect for fitting into the boot of most family cars.

The rear wheels have a quick release mechanism, meaning they can be swiftly and easily removed and the Marley squeezed into an even tighter space!

## A VAST RANGE OF ACCESSORIES



**LEG ABDUCTOR**




**HARNESSES**



**CONTOUR TRAY**



**RAIN COVER**



**LATERAL SUPPORT**



**BACKREST EXTENSION**



**SUN CANOPY**



**GRAB BAR**



**HEADRESTS**

# ORMESA BUG

## MODULAR CLINICAL BUGGY



The Bug is a supportive buggy that suits many clinical requirements. The modular design allows accessories to be configured easily so it can grow with the child.

With a range of adjustments, plus an extensive list of compatible accessories the Ormesa Bug is perfect for any child with a postural disability, with a wide selection of options to fit the specific requirements of the user. This tilt in space buggy grows easily with the child, making it a great long lasting and cost-effective solution.

The compact system allows for the Bug to be placed on four bases – an outdoor buggy; indoor high-low feeding base; indoor high-low compact base; and a compact floor base. This practicality means the Bug is a great solution for a wide range of applications.

## A CHOICE OF MODERN AND ATTRACTIVE COLOURS



**DARK GREY  
GREEN TRIM**



**DARK GREY  
PINK TRIM**



**LIGHT GREY  
GREEN TRIM**




**LIGHT GREY  
PINK TRIM**



## KEY FEATURES

- > Available in two sizes
- > Lightweight and compact system
- > 35° tilt in space and easy folding
- > Fully adjustable seat
- > The unit grows with the individual
- > Crash tested to ISO7176-19

## FULL RANGE OF BUG ACCESSORIES



**THERMAL COVER**



**CANOPY**




**RAIN COVER**



**MOULDED TRAY**



**FOOT STRAPS**



**ABDUCTION BLOCK**



**BACK HEADREST**



**LATERALS**



**SIDE HEADREST**



**VEST HARNESS**



**PARASOL**




**NET BASKET**



**TRUNK SUPPORT**



**PELVIC BELT**



**5-PT HARNESS**



**SIBLING BOARD**

# ORMESA CLIP

---



## SIMPLE VERSATILITY

The Ormesa Clip excels with its simplistic design, while also providing all the features you need from a buggy - with all terrain wheels and a wide range of compatible accessories available.

The Clip is ideal for families always on the move and the size 1 to 3 have been crash tested to ISO7176-19. It has a reclining moulded backrest with three positions activated by easy to use zips to ensure the child is always held in a position of maximum comfort and relaxation.

The upholstery is made from a breathable fabric which can be removed and easily washed in the washing machine.

## NO HASSLE FOLDING

The Clip is designed to be simple to use, and folds away extremely easily in a similar way to an umbrella. With a folded size of 110 x 30 x 34 centimetres of the size one up to 115 x 56 x 34 cm of the size four - the Clip will fit comfortably in the boot of most family cars.



# PIPER COMFORT

---

## VERSATILE REHABILITATION BUGGY

The Piper Comfort is a state of the art comfort rehab-buggy with a fully foldable lightweight frame. This buggy comes equipped with adjustable calf rest, extended reclining backrest, large solid wheels, detachable and adjustable footrest and a 5-point belt with shoulder pads. The variability of the buggy and the ability to attach a wide range of accessories, ensures the Piper meets the vast majority of user requirements - as well as hygienic, technical and safety requirements.



SEA  
BLUE



DEEP  
BLACK

## KEY FEATURES

- > Extended backrest recline
- > Extended backrest height
- > Large adjustable footrest
- > Very compact folding buggy
- > Lightweight and easy to handle
- > One-piece comfort folding handlebar
- > Load capacity up to 50kg
- > Available in 2 colours - Blue & Black
- > Crash tested to ISO7176-19
- > Premium silver and black wheels

# CONVAID CRUISER



## INNOVATIVE REHAB BUGGY

The Convaid Cruiser is a rehabilitation buggy for children requiring mild to medium levels of postural support. The Cruiser features a fixed tilt for improved postural control and a self tensioning seat for increased sitting tolerance.

The durable, stylish and convenient Cruiser is the perfect solution for an adventurous family, folding easily for when out and about.

The buggy comes complete with a 2-point padded pelvic belt; plus extendable backrest and seat depth giving this buggy up to five years of growth.

## THE UNIQUE SELF-TENSIO® SEATING SYSTEM


The Convaid Cruiser features a unique self-tensioning seating system which provides therapeutic pelvic positioning similar to a solid rehab chair - but all in a folding buggy.

### KEY FEATURES

- > Available in six sizes
- > Crash tested to ISO7176-19 and easy to fold for transportation
- > Customisable growth capabilities
- > Removable, washable covers available in various colours
- > Lumbar and thoracic adjustment
- > Comes with 2-point padded belt



**EASY FOLD  
SYSTEM**



**BLACK (STOCK)**

**BLUE**

**RED**

**PINK**

**PURPLE**

# CORZO XCOUNTRY



## TOUGH OUTDOOR BUGGY

The Corzo Xcountry is a tough multi-purpose rehab buggy available in four sizes. The frame is fully foldable and is produced from a lightweight aluminium alloy, meaning the frame is extremely durable while remaining light and attractive due to the powdercoat finish.

This buggy is perfect for being used around town, getting on and off public transport and also outdoor activities.

The frame has a range of built in adjustments such as seat depth and height to keep the buggy growing with the child.

## KEY FEATURES

- > High load capacity (up to 75 kg)
- > 5 point immobilising harness with crotch belt and shoulder pads
- > Seat depth, backrest and footrest are all fully adjustable
- > Tough and durable for outdoor use

## A VARIETY OF COLOURS TO CHOOSE FROM



**BLUE COVERS**  
HELD IN STOCK



**RED COVERS**  
HELD IN STOCK



**GREEN COVERS**  
SPECIAL ORDER



**BLACK COVERS**  
SPECIAL ORDER

# BELTS AND HARNESSES

**CHEST HARNESSES**

**34**

**CHEST STRAPS**

**36**

**SOLOC BELTS**

**37**

**PELVIC BELTS**

**38**

**ANKLESURES**

**40**

**FOOT STRAPS**

**41**


**THIGH STRAPS**

**41**

# CHEST HARNESSSES

## THE RMS HARNESS RANGE


- > Nylon covered neoprene pads can be easily removed for machine washing.
- > All harnesses are designed to be used with a suitable pelvic belt for the users safety.
- > All harnesses are supplied with adjustable length top straps with plastic pull tight buckles and fixed length lower straps with angle adjustable plastic buckles.



## DYNAMIC HARNESS

Designed to offer high levels of support and comfort whilst also limiting the amount of user movement.

all units in mm		A	B	C	D
SMALL	H009	110	180	160	45
MEDIUM	H010	145	230	200	50
LARGE	H011	175	260	230	60



## STERNUM HARNESS


The chest pad offers greater support with the users weight distributed even throughout the harness.

all units in mm		A	B	C	D	E
SMALL	H012	270	225	130	60	130
MEDIUM	H004	330	255	155	60	150
LARGE	H005	460	260	200	60	200



# HARNESS MOUNTING FRAME


PART NO	STEM SIZE
L4-P35-A	For 12.7mm stem assembly
L4-P35-B	For 20mm stem assembly



# SLIMLINE HARNESS

Shaped to give greater flexibility in client fitting while still providing excellent postural support.

all units in mm		A	B	C	D	E
SMALL	H014	360	230	170	30	140
MEDIUM	H015	420	250	190	30	160
LARGE	H016	470	260	200	30	180



# SHOULDER HARNESS

Pads are designed to distribute pressure evenly over the chest and shoulders - with a quick release buckle.

all units in mm		A	B	C
SMALL	H006	300	95	45
MEDIUM	H007	330	115	65
LARGE	H008	430	145	75

# CHEST STRAPS

## PADDED CHEST STRAPS

- > Chest straps are ideal when the user doesn't require the support of a full harness.
- > Centre section is made from durable nylon covered neoprene for user comfort.
- > Available in two fastening options, quick release hook and loop or pull tight buckle.
- > Attaches securely to wheelchairs or seating systems and come with a full fitting kit.

EXTRA SMALL



PULL TIGHT	TS-001
HOOK & LOOP	TS-005
SIZE (WxH)	28cm x 8cm

SMALL



PULL TIGHT	TS-002
HOOK & LOOP	TS-006
SIZE (WxH)	38cm x 10cm

MEDIUM



PULL TIGHT	TS-003
HOOK & LOOP	TS-007
SIZE (WxH)	47cm x 13cm

LARGE



PULL TIGHT	TS-004
HOOK & LOOP	TS-008
SIZE (WxH)	57cm x 16cm

**NEW**


# SOLOC BELTS

## THE WORLDS MOST VERSATILE MAGNETIC BELT

The Soloc Magnetic Wheelchair Buckle is the very first of its kind to use magnetic technology for easy connection and release - providing greater independence and freedom for those who lack mobility in their hands, are amputees, or visually impaired.


### UNO

Soloc Uno is designed for people that find it difficult to connect a standard buckle through limited mobility and dexterity, such as those suffering from Arthritis or hand tremors.



### SOLO

Soloc Solo is creatively designed for those who have only the use of one hand. The unique design allows the belt to be connected and released with one hand creating greater autonomy.



### FREEDOM

Soloc Freedom was made for people with very limited functional hand or arm control to be able to use a lap belt without needing to use their hands. Easy to connect. easy to detach.



To find out more information on the development and unique uses of the Soloc Magnetic Buckle simply visit [www.soloc.org](http://www.soloc.org).

# PELVIC BELTS

## METAL BUCKLE - SIDE PULL



	SMALL	MEDIUM	LARGE
BELT SIZE	Pad size 150mm x 40mm 25mm webbing	Pad size 170mm x 60mm 40mm webbing	Pad size 230mm x 70mm 40mm webbing
TWO POINT PADDED	BMB-001-S	BMB-001-M	BMB-001-L
FOUR POINT PADDED	BMB-002-S	BMB-002-M	BMB-002-L
TWO POINT NO PADDING	BMB-003-S	BMB-003-M	BMB-003-L

## PLASTIC BUCKLE - DUAL PULL



	SMALL	MEDIUM	LARGE
BELT SIZE	Pad size 150mm x 40mm 25mm webbing	Pad size 170mm x 60mm 40mm webbing	Pad size 230mm x 70mm 40mm webbing
TWO POINT PADDED	BPB-004-S	BPB-004-M	BPB-004-L
FOUR POINT PADDED	BPB-005-S	BPB-005-M	BPB-005-L

# ANTI TAMPER BUCKLE - SIDE PULL



Two Point



Four Point



Non Adjustable

	SMALL	LARGE
BELT SIZE	Pad size 150mm x 40mm 25mm webbing	Pad size N/A 50mm webbing
TWO POINT PADDED	<b>BAT-007-S</b>	<b>N/A</b>
FOUR POINT PADDED	<b>BAT-008-S</b>	<b>N/A</b>
TWO POINT NON ADJUSTABLE	<b>N/A</b>	<b>BAT-009-L</b>

# PLASTIC BUCKLE - REAR PULL



Two Point

Our range of pelvic belts allows you to choose the correct belt for all of your positioning needs.

	SMALL	MEDIUM	LARGE
BELT SIZE	Pad size 150mm x 40mm 25mm webbing	Pad size 170mm x 60mm 40mm webbing	Pad size 230mm x 70mm 40mm webbing
TWO POINT PADDED	<b>BPB-006-S</b>	<b>BPB-006-M</b>	<b>BPB-006-L</b>
<b>ALL OUR PELVIC BELTS COME WITH FULL FITTING KIT AS STANDARD</b>			

# ANKLESURES

## DISCREET WAY OF SECURING THE FEET

A positive, discreet, easily adjustable method of securing the users feet.

With the ankle secured and the rest of the foot allowed to move naturally, the user retains a level of freedom without losing their position.

RMS Anklesures are available in five sizes to suit any user - from extra small with a circumference of just 155 mm - right up to extra large with a circumference of 350 mm. They also have two styles of strap closure - hook and loop or side release plastic buckle.

All our Anklesures come with a fitting kit and all fixtures as standard - and use a system that is compatible with most wheelchair footboards or footplates.



PART NUMBER	FOR HOOK AND LOOP CLOSURES				
	AS001	AS002	AS003	AS004	AS005
SIZE	X. Small	Small	Medium	Large	X. Large
CIR (mm)	155 - 200	160 - 215	175 - 230	240 - 295	295 - 350

PART NUMBER	FOR BUCKLE CLOSURES				
	AS001B	AS002B	AS003B	AS004B	AS005B
SIZE	X. Small	Small	Medium	Large	X. Large
CIR (mm)	155 - 200	160 - 215	175 - 230	240 - 295	295 - 350

# FOOT STRAPS

## SIMPLE & EFFECTIVE FOOT POSITIONING

One piece padded foot straps with cam buckle manufactured from 25mm webbing. Has a durable neoprene pad for user comfort and are sold in pairs with full fitting kit.



Ideal for positioning the feet for those that struggle to control their legs in wheelchairs, buggies or seating systems.


	WEBBING	PART NO.
SMALL	25 cm	FS004-S
LARGE	25 cm	FS004-L

# THIGH STRAPS

## FOR LEG ABDUCTION

Securely holds the inner thigh area providing resistance to pelvic obliquity and rotation. Sold in pairs complete with a full fitting kit.

	PAD SIZE	PART NO.
SMALL	23 cm	LAS-001
MEDIUM	33 cm	LAS-002
LARGE	38 cm	LAS-003



# HEADRESTS



**RMS HEADRESTS**

**44**

**ROLLERCOASTER**

**48**

**HEADS FIRST**

**49**

**QUICK RELEASE MOUNTING**

**52**


**RMS HEADREST BRACKETS**

**54**


# RMS HEADRESTS

## HEADREST FIXTURES AND COVERS


All of our RMS manufactured headrests have a variety of mounting applications. Below is an overview of the headrest mounts that we can supply and the letter (#) for ordering. Our Type A & D headrest can be ordered with removable neoprene comfort covers.




**A** - Standard Mount




**B** - Angle Adjustable



**C** - Multi-axis Cranked Stem




**D** - Multi-axis Straight Stem

		TYPE A COVER	TYPE D COVER
	SMALL	L8-P18-S-CV	L8-P21-S-CV
	LARGE	L8-P18-L-CV	L8-P21-L-CV

## TYPE A HEADREST


Curved support providing medium to good head position. Can be fitted with one of our headrest covers detailed above and all four types of headrest mounts.



PART NO.	SMALL	LARGE
	L8-P18-S-#	L8-P18-L-#
A	210 mm	275 mm
B	95 mm	120 mm
C	95 mm	115 mm
D	60 mm	70 mm
E	25 mm	25 mm

# TYPE D HEADREST

Shaped headrest providing good comfort combined with minimal positioning. Can be fitted with one of our comfortable headrest covers detailed on the opposite page.




PART NO.	SMALL	LARGE
	L8-P21-S-#	L8-P21-L-#
A	195 mm	300 mm
B	50 mm	75 mm
C	100 mm	150 mm
D	60 mm	90 mm
E	30 mm	45 mm

# TYPE E HEADREST

Contoured combination head and neck rest giving high levels of comfort of support.

All of our headrests are made from premium and robust materials - making them comfortable, easy to clean and highly functional - whilst also providing great support.



PART NO.	ONE SIZE
	L8-P22-#
A	135 mm
B	75 mm
C	135 mm
D	70 mm
E	35 mm

# RMS HEADRESTS

## TYPE J HEADREST

A slightly curved oblong headrest offered a basic level of head support. A very simple and effective option for users who requires minimal levels of support.



PART NO.	ONE SIZE
	L8-P17-#
A	135 mm
B	75 mm
C	135 mm

## TYPE G HEADREST

The contours of this versatile headrest can be adjusted to meet the changing needs of the user. Manufactured from black GRP with a foam pad covered in black Libra. Has a rear ball socket compatible with all of our RMS manufactured headrest mounts.



	SMALL	LARGE
PART NO.	L8-P24-S-#	L8-P24-L-#
WIDTH	265 mm	420 mm
HEIGHT	75 mm	75 mm

## CUSTOMISE YOUR HEADREST

The Type G headrest can be easily customised to match the needs of the user with height and width extensions. Refer to the prescription forms on our website for more information and to order your own customised headrest.



# HEADBAND FOR TYPE G

Can be easily attached to type G headrests using hook and loop quick release straps, and comes available in a small and large size.


The forehead padding is covered in a soft velvet microfibre fabric meaning the user is kept comfortable at all times.

	SMALL	LARGE
PART NO.	L8-P33-S	L8-P33-L



# TYPE K HEADREST

The Type K headrest is a cross-shaped neck and headrest support which offers high levels of positioning enhanced by the adjustability and positioning of the top lateral sections, which can be manipulated to achieve the correct shape for ultimate head support. The Type K headrest is available in both small and large sizes.



PART NO.	SMALL	LARGE
	L8-P29-S-#	L8-P29-L-#
A	140 - 240 mm	150 - 280 mm
B	100 - 115 mm	100 - 130 mm
C	95 mm	115 mm
D	60 mm	70 mm
E	25 mm	25 mm

**Please note:** Wing section A is semi-adjustable, allowing good positioning and positive head control. Adjusting the width (A) will alter the depth of dimension B.

# ROLLERCOASTER



## CONCEPT

The Rollercoaster was designed by Chailey Heritage Clinical Services to provide a highly effective head support.

## APPLICATION

- > Positive positional locking achieved by convenient hand wheels.
- > Hidden adjustment stops to allow correct positioning of lateral arms.
- > Mounts directly into the fixed receiver bracket using thumb screws.
- > Adjustable collars ensure the head support is returned to the correct height when refitted.
- > Headrest support can remain in place during transfer by raising support arms.

## DESIGN AND KEY ROLLERCOASTER FEATURES

- > To reduce the possibility of users trapping their head under or behind the headrest.
- > Supports can be adjusted, raised, lowered or removed to suit the user's requirements.

## ROLLERCOASTER HEADREST CONCLUSION

The Rollercoaster Head Support has been successfully fitted to a wide range of seating systems and posture management equipment including CAPS, Virtus, Caddy, R82, Xpanda and Leckey advanced seat units.



## ASSESSMENT KITS

RMS can provide a full assessment kit for the Rollercoaster Head Support, packaged together in an easy-to-carry flight case. This means your assessments can be carried out quickly and simply, helping you prescribe the item just right.

**FOR MORE INFORMATION VISIT THE RMS WEBSITE**

# HEADS FIRST

## FEATURES AND BENEFITS

- Adult and children sizes: This modular concept head support is available 'out of the box' or in a 'build your own' configuration.
- Choose from four standard designs, all of which are compatible with our RMS headrest mounting brackets.
- Bespoke shapes for a better fit are available using Heads First Assessment Kit.
- Low profile cosmetic design with maximised clearance for the ears - allowing natural hearing and reduced pressure injury risk.
- Each head support comprises a metal core with a soft padded machine washable cover and RMS mounting bracket.

## ASSESSMENT KIT

The assessment kit is supplied in a convenient lightweight carry box and is available in either adult or child's size.

This kit allows you to build 4 head supports - 3 complex and one simple - from the range of 24 at any given time.



## HEAD SWITCHES

These head switches are a pressure sensitive switch for power chairs compatible with the heads first range.

The head switch can be placed under the top layer of the covers in different positions on the head support.



# HEADS FIRST

## THE BUTTERFLY



TYPE	PART NO.	
Standard	BF-#-Hb	
Bilateral	BF-B-#-Hb	
Right	BF-R-#-Hb	
Left	BF-L-#-Hb	

## THE PENGUIN



TYPE	PART NO.	
Standard	PE-#-Hb	
Bilateral	PE-B-#-Hb	
Right	PE-R-#-Hb	
Left	PE-L-#-Hb	

### HEADS FIRST - PART NUMBERS

Below is a quick guide for the part numbers shown in the tables above for when it comes to order - for help or guidance please email [sales@rms-rehab.co.uk](mailto:sales@rms-rehab.co.uk).

# = Headrest size ..... A for Adult ..... C for Child

Hb = RMS headrest bracket ..... Full guide shown on page 34



# THE BLACK BEAR



TYPE	PART NO.	
Standard	BB-#-Hb	
Bilateral	BB-B-#-Hb	
Right	BB-R-#-Hb	
Left	BB-L-#-Hb	
Feet	BB-F-#-Hb	
Bilateral, Arms, Feet	BB-BF-#-Hb	
Right and Feet	BB-RF-#-Hb	
Left and Feet	BB-LF-#-Hb	

# THE PANDA BEAR



TYPE	PART NO.	
Standard	PB-#-Hb	
Bilateral	PB-B-#-Hb	
Right	PB-R-#-Hb	
Left	PB-L-#-Hb	
Feet	PB-F-#-Hb	
Bilateral, Arms, Feet	PB-BF-#-Hb	
Right and Feet	PB-RF-#-Hb	
Left and Feet	PB-LF-#-Hb	

# QUICK RELEASE MOUNTING

## DESIGNED TO ACHIEVE THE FOLLOWING POINTS:


- > Attachment of headrests onto wheelchairs with canvas backrests - Headrest mounting bracket is designed to accept various headrests with either 13mm or 16mm square mounting brackets.
- > Attachment of harness straps onto wheelchairs with canvas backrests - The height is adjustable ensuring correct harness position to maintain good upright posture.
- > Maintains backrest tension by preventing movement in the backrest tubes. Mounting frame is fully width adjustable to suit a wide range of wheelchairs.
- > Head support can be used whilst the user is being transported in a motor vehicle. Has successfully been crash tested in Frontal Impact Tests.
- > Mounting brackets are designed to fit directly onto the wheelchair backrest frame or onto the wheelchair backrest with a wrap around backrest canvas.
- > Cross brace frames are supplied with upper harness webbing guides as standard.

## HEADREST USED SUCCESSFULLY IN CRASH TESTS



- > This quick release mounting kit has been subject to a successful Front Impact Test and is suitable for clients during transportation in motor vehicles.
- > A fully adjustable kit that is able to provide excellent head support.
- > Easily attaches to most wheelchair backrests.
- > Each quick release mounting kit comprises of mounting frame, mounting clamps, headrest mount and type D headrest with multi axis cranked stem.

# NG FRAME



<b>PART NO.</b>	<b>QRMF 1/10 KIT</b>	Includes: QRMF1/10, QRMF2A, QRMF3 and L8-P21-S-C
	<b>QRMF 1/15 KIT</b>	Includes: QRMF1/15, QRMF2A, QRMF3 and L8-P21-L-C

## QUICK RELEASE MOUNTING FRAME KIT INCLUDES:

COMPONENT NO.	DESCRIPTION
<b>QRMF 1/10</b>	Cross brace to fit wheelchair widths of 26cm (10") to 36cm (14")
<b>OR</b>	
<b>QRMF 1/15</b>	Cross brace to fit wheelchair widths of 38cm (15") to 51cm (20")
<b>QRMF 2a</b>	Mounting brackets to fit 22mm (7/8") and 25mm (1") backrest tubes
<b>QRMF 3</b>	Headrest stem receiver, suitable for 13mm (1/2") and 16mm (5/8") square headrest stems
<b>L8-P21-S-C</b>	Type D Headrest - small with multi axis cranked stem
<b>OR</b>	
<b>L8-P21-L-C</b>	Type D Headrest - large with multi axis cranked stem

# HEADREST BRACKETS

## BALL MOUNT WITH COLLAR



13mm square chrome bracketry. Comes with stainless steel mounting collar.

PART NUMBER		L8-P01-F3-#
A	length = 200 mm	
B	length = 300 mm	

## 90° STEM



PART NO.	
L8-P03-F3-#	
A	300 mm
B	400 mm
C	500 mm

13mm square chrome bracketry that comes with tri-knob. A, B and C are height options.

## SWAN NECK STEM



PART NO.	
L8-P03-F3-#	
A	300 mm
B	400 mm

13mm square chrome bracketry that comes with tri-knob.

A and B are the stem length measurements.

## 25MM (1") TUBE MOUNT CLAMP

PART NO.
L4-P27-F4

13mm and 16mm stem receiver bracket that clamps directly on to standard 25mm (1") diameter wheelchair cross bar.



## ANGLE ADJUSTABLE WITH BALL MOUNT


Supplied with swivel collar and 13mm or 16mm square chrome bracketry.



PART NO.	13mm	G3-08-03
	16mm	G3-08-03-16

## EXTENSION KIT

Kit to extend angle adjustable stem by one or more pivot links.



PART NO.	G3-08-03-EXT
----------	--------------

## MULTI ANGLE MOUNT SET - CRANKED STEM

13mm square chrome bracketry that comes with height adjustment collar, four point fixing and headrest mounting plate - 340mm tall.



PART NO.	L8-P36-F3
----------	-----------

## MULTI ANGLE MOUNT SET - STRAIGHT STEM

13mm square chrome bracketry that comes with height adjustment collar, four point fixing and headrest mounting plate - 300mm tall.



PART NO.	L8-P37-F3
----------	-----------

# HEADREST BRACKETS

## REA AZALEA HEAD MOUNT

13mm stem receiver slots into Rea Azalea wheelchair backrest.

PART NO.
L4-P31-F3



## HEIGHT ADJUST COLLAR




PART NO.	13mm	L8-P08-F3-A
	16mm	L8-P08-F3-B

## MULTI-POINT FIXING

Our multi-point fixing suits:

- Invacare Rea Azalea, Assist and Protech backrests
- Handicare wheelchairs
- Jay backrests
- Otto Bock backrests

PART NO.	13mm	L4-P26-F5-A
	16mm	L4-P26-F5-B



## CLAMP ON FIXING

Supplied with tri knob and clamp bolt - fitting finished in chrome.




PART NUMBER	CLAMP	RECEIVER
L8-P27-F3-19/13	19 mm	13 mm sq
L8-P27-F3-19/16	19 mm	16 mm sq
L8-P27-F3-22/13	22 mm	13 mm sq
L8-P27-F3-22/16	22 mm	16 mm sq
L8-P27-F3-25/13	25 mm	13 mm sq
L8-P27-F3-25/16	25 mm	16 mm sq

## 2 POINT FIXING



PART NO.	13mm	G3-04-06
	16mm	G3-04-19

## 4 POINT FIXING




PART NO.	13mm	L3-P05-F3-A
	16mm	L3-P05-F3-B

## SPECIALIST SEATING MOUNT

The specialist seating mount has the following benefits:


- Mounting plate allows fitting to a backrest shell or channel back system (e.g. Vtrak)
- Option available to accept harnesses using either 'Tri-glide' or 'Cam-lock'
- Suitable for both 13mm and 16mm headrest stems
- Tapered mount allows the headrest stem to be used in one unit
- Centre thumbscrew to hold headrest stem without marking corner edges of stem

### HEADREST MOUNT




PART NO.
L4-P44-SSHM

### + HARNESS MOUNT



PART NO.
L4-P44-SSSHM

### HEADREST BOSS ASSEMBLY VIEW



# SUPPORTS



LATERAL SUPPORTS

60

FLIP DOWN POMMEL

62

KNEE ADDUCTOR

63

ARM SUPPORTS

64

STUMP BOARDS

65

FOOT SUPPORTS

66

# LATERAL SUPPORTS

## BEST SELLER - CLAMP ON SWING AWAY LATERALS

The RMS Lateral Supports are designed to accommodate or help scoliosis when using a canvas style backrest without the need for a solid back system. Fitted as a pair or individually, our laterals attach directly onto 22mm or 25mm backrest frames.

All of our high quality lateral supports are available in two sizes, with three lateral link lengths and inclusive soft neoprene covers.



## EXTENSION LINKS

Extension links are available in 25mm increments and allows for the joining of two separate lateral links.



## LATERAL ASSESSMENT KIT

A handy lightweight padded case to carry a full swing away lateral assessment kit.



## PAIR OF SUPPORTS - SMALL & LARGE PADS

PART NUMBER	LINK SIZE	SIDE	PAD SIZE
L4-P32-025-S-P	25 mm	Pair	75 x 100 mm
L4-P32-025-L-P	25 mm	Pair	100 x 150 mm
L4-P32-050-S-P	50 mm	Pair	75 x 100 mm
L4-P32-050-L-P	50 mm	Pair	100 x 150 mm
L4-P32-075-S-P	75 mm	Pair	75 x 100 mm
L4-P32-075-L-P	75 mm	Pair	100 x 150 mm

## SINGLE SUPPORT - SMALL PADS

PART NUMBER	LINK SIZE	SIDE	PAD SIZE
<b>L4-P32-025-S-RH</b>	25 mm	Right	75 x 100 mm
<b>L4-P32-025-S-LH</b>	25 mm	Left	75 x 100 mm
<b>L4-P32-050-S-RH</b>	50 mm	Right	75 x 100 mm
<b>L4-P32-050-S-LH</b>	50 mm	Left	75 x 100 mm
<b>L4-P32-075-S-RH</b>	75 mm	Right	75 x 100 mm
<b>L4-P32-075-S-LH</b>	75 mm	Left	75 x 100 mm

## SINGLE SUPPORT - LARGE PADS

PART NUMBER	LINK SIZE	SIDE	PAD SIZE
<b>L4-P32-025-L-RH</b>	25 mm	Right	100 x 150 mm
<b>L4-P32-025-L-LH</b>	25 mm	Left	100 x 150 mm
<b>L4-P32-050-L-RH</b>	50 mm	Right	100 x 150 mm
<b>L4-P32-050-L-LH</b>	50 mm	Left	100 x 150 mm
<b>L4-P32-075-L-RH</b>	75 mm	Right	100 x 150 mm
<b>L4-P32-075-L-LH</b>	75 mm	Left	100 x 150 mm

## EXTENSION & REPLACEMENT LINKS


DESCRIPTION	REPLACEMENT LINK	EXTENSION LINK
25mm links with sleeve + fixings	<b>L4-P32-LINK-25</b>	<b>L4-P32-EXT-25</b>
50mm links with sleeve + fixings	<b>L4-P32-LINK-50</b>	<b>L4-P32-EXT-50</b>
75mm links with sleeve + fixings	<b>L4-P32-LINK-75</b>	<b>L4-P32-EXT-75</b>

# FLIP DOWN POMMEL

## POSTURAL SUPPORT

The RMS Flip Down Pommel is designed to reduce leg adduction, help maintain a correct mid line posture and prevent wind sweeping.

The pommel has a quick release button that flips the pommel down and safely out of the way for quick transfers.



## COMPATIBLE WITH A RANGE OF SEAT UNITS



POMMEL IN POSITION

Pommels can be easily integrated into our Drop In Seats - which can be seen on **Page 19**, or onto seating systems such as the Caddy - which can be viewed on **Page 8**.

The pommel would be mounted using pop-in bracketry which allows for quick removal.

## KEY FEATURES

- > 3 sizes of PU foam block available
- > Has multi adjustable positioning hardware
- > Contact us for compatible seating units



POMMEL FOLDED DOWN

PART NO.	DESCRIPTION
L3-P50-S	Small block (9.3cm x 6.6cm x 9cm)
L3-P50-M	Medium block (11.3cm x 8.2cm x 10cm)
L3-P50-L	Large block (12.8cm x 9.1cm x 10cm)

# KNEE ADDUCTOR

## FOR POSITIONING THE USERS LEGS IN A WHEELCHAIR

RMS Knee Adductor Pads are designed to help position the users legs when seated in a wheelchair, and swing away with the footrest hanger making it easier for the user to transfer. The inclusive mounting brackets are fully adjustable ensuring the pad is positioned at the perfect knee height for optimum support.



### KEY FEATURES


- > Comes in small and large pad sizes
- > Choice of Evosote or Gel pads
- > Clamp fits 19mm, 22mm and 25mm tubing
- > Swings away with the footrests
- > Offset brackets available in three increments - 25mm, 50mm or 75mm
- > Fully adjustable in height, width and depth
- > Lightweight and strong
- > Removable and easily washable covers
- > Assessment kits for therapists also available

	OFFSET	EVOSOTE PAD	GEL PAD
SMALL pad size 95 mm	25 mm	<b>L7-P01-S25-#</b>	<b>L7-P02-S25-#</b>
	50 mm	<b>L7-P01-S50-#</b>	<b>L7-P02-S50-#</b>
	75 mm	<b>L7-P01-S75-#</b>	<b>L7-P02-S75-#</b>
LARGE pad size 130 mm	25 mm	<b>L7-P01-L25-#</b>	<b>L7-P02-L25-#</b>
	50 mm	<b>L7-P01-L50-#</b>	<b>L7-P02-L50-#</b>
	75 mm	<b>L7-P01-L75-#</b>	<b>L7-P02-L75-#</b>
# = selected clamp size for footrest hanger (19mm, 22mm or 25mm)			

# ARM SUPPORTS

## THE BEXHILL ARM SUPPORT

Available in both left and right hand versions, the Bexhill Arm Support is manufactured from hard wearing black polyurethane. Suitable for all NHS 8 and 9 series wheelchairs with no fitting kit required, although for alternative wheelchairs we offer a range of fitting kits that can be seen below.



	PART NUMBER	
	BEX-1-R right hand	BEX-1-L left hand
A	550 mm	550 mm
B	330 mm	330 mm
C	280 mm	280 mm
D	140 mm	140 mm

## BEXHILL ARM SUPPORT FIXING KITS

FITTING KIT	PART NUMBER	COMPATIBILITY
Kit A	L5-P49-F3-A	Compatible with 50mm wide armrest pads
Kit B	L5-P49-F3-B	Compatible with 60mm wide armrest pads
Kit C	L5-P49-F3-C	Compatible with 80mm wide armrest pads
Kit #	L5-P49-F3-#	Custom armrest pad width

PART NO.	A
L5-P01-F3-A	50 mm
L5-P01-F3-B	75 mm
L5-P01-F3-C	100 mm

## SIDE ARM RAISERS



Side arm raisers are available in three unique collar lengths and supplied in sets of four. Will fit all NHS 8 and 9 series wheelchairs. Finished in high quality chrome.

## SIDE ARM SPACERS

Supplied in pairs and finished in chrome, for all NHS 8 and 9 series wheelchairs.

The size in the table below relates to the distance the armrest is outrigged by.

**NOTE:** To outrig both armrests on an NHS series 9 wheelchair, two pairs of brackets will be required.



## ARM PAD RAISERS

25mm raisers supplied in pairs, for all NHS 8 and 9 series wheelchairs.

PART NO

L5-P22-F3



PART NO - SERIES 8		PART NO - SERIES 9		
L3-P03-F3-A	L3-P03-F3-B	L3-P04-F3-A	L3-P04-F3-B	L3-P04-F3-C
25 mm	30 mm	25 mm	30 mm	38 mm

# STUMP BOARDS

## THE ROCHESTER STUMP BOARD



PART NO L6-P03-#

Can be fitted to either left or right footrest hangers and come with a black polyurethane flip-up pad. Supplied in a variety of angled stems from 0° to 30°, at 5° stepped increments with clamp sizes to suit almost all applications.

When ordering please state the hanger angle and stem size that you require so that our customer service team can provide you with the full part numbers and quotation.

# FOOT SUPPORTS

## ONE PIECE FOOTBOARD

Clip on design made from 12mm thick polypropylene complete with anti-tip fixing and depth adjustment.



PART NUMBER	WIDTH	DEPTH
L6-P05-13/20-BPP	31 cm	20 cm
L6-P05-13/25-BPP	31 cm	25 cm
L6-P05-13/30-BPP	31 cm	30 cm
L6-P05-15/20-BPP	36 cm	20 cm
L6-P05-15/25-BPP	36 cm	25 cm
L6-P05-15/30-BPP	36 cm	30 cm
L6-P05-17/20-BPP	41 cm	20 cm
L6-P05-17/25-BPP	41 cm	25 cm
L6-P05-17/30-BPP	41 cm	30 cm

## INDIVIDUAL FOOTBOARDS

Made from 12mm polypropylene supplied as a pair complete with all fittings for depth adjustment.



PART NO.	WIDTH	DEPTH
L6-P06-13/20-BPP	31 cm	20 cm
L6-P06-13/25-BPP	31 cm	25 cm
L6-P06-13/30-BPP	31 cm	30 cm
L6-P06-15/20-BPP	36 cm	20 cm
L6-P06-15/25-BPP	36 cm	25 cm
L6-P06-15/30-BPP	36 cm	30 cm
L6-P06-17/20-BPP	41 cm	20 cm
L6-P06-17/25-BPP	41 cm	25 cm
L6-P06-17/30-BPP	41 cm	30 cm

Contact our technical advice line for alternative styles available.



## DYNAMIC FOOTBOARD

The RMS Dynamic Footboard is a firm foot support with a innovative sandwich construction of different density foams to absorb pressure during extension.



PART NO

L6-P16-#

## COMFORT BEADBAGS

This comfort beadbag offers a comfortable support for users who do not use any footwear while in a seat. Features a Dartex cover that is packed with soft polystyrene beads.



PART NO

L6-P14-#

## NEW PRODUCT - FOOT CAPS

Replacing our previous generation of RMS footsures, these new Foot Caps made by Otto Bock provide a greater level of security for the users feet while in their wheelchair or seating system. These foot sandals can be fixed to the vast majority of wheelchair foot plates.



	SANDAL SIZE	PART NUMBER
SIZE 1	190 x 89 mm	476B52=SK010
SIZE 2	230 x 114 mm	476B52=SK015
SIZE 3	250 x 140 mm	476B52=SK020

Subscribe to our newsletter to keep up with all product updates.

# FOOT SUPPORTS

## MULTI-ADJUSTABLE FOOTPLATES

These RMS multi-adjustable footplates are made from 12mm polypropylene with a textured surface to help the users feet stay in place.

They come supplied with adjustable mountings to accept fixed or angle adjustable stems. Simply just check the parts list below for the parts you require.



These footplates have a series of pre-formed slots and holes for heel loops, foot straps and anklesures, all of which can be found in the 'Belts and Harnesses' section of this catalogue. If you need the footplate to accommodate a certain modification or bespoke part - this is something that can be done by our in house engineering team - simply contact us to find out how we can help.

SIZE	WIDTH	DEPTH
Small	225 mm	115 mm
Large	275 mm	130 mm

PARTS LIST	PART NO
Pair of footrests (small)	<b>MPF001/S-BPP</b>
Pair of footrests (large)	<b>MPF001/L-BPP</b>
Pair of fixed angle footrest stems	<b>MPF002/16</b>
Pair of angle adjustable footrest stems	<b>MPF003/16</b>
Footrest raiser block mount 16/19mm	<b>L6-P02-F4A</b>
Footrest raiser block mount 16/22mm	<b>L6-P02-F4B</b>
Footrest raiser block mount 16/25mm	<b>L6-P02-F4C</b>

## RMS FOOTREST RAISER BLOCKS

Footrest height adjusting blocks supplied in pairs with clamping screws.



SIZE	PART NO
16 mm - 19 mm	<b>L6-P02-F4-A</b>
16 mm - 22 mm	<b>L6-P02-F4-B</b>
16 mm - 25 mm	<b>L6-P02-F4-C</b>
19 mm - 19 mm	<b>L6-P02-F4-D</b>
19 mm - 22 mm	<b>L6-P02-F4-E</b>
19 mm - 25 mm	<b>L6-P02-F4-F</b>
22 mm - 22 mm	<b>L6-P02-F4-G</b>
22 mm - 25 mm	<b>L6-P02-F4-H</b>
16 mm - 16 mm	<b>L6-P02-F4-I</b>
25 mm - 25 mm	<b>L6-P02-F4-J</b>

## ANGLE ADJUSTABLE FOOTPLATE STEMS

Supplied in pairs and finished in chrome, our footplate stems are suitable for all wheelchairs with 15.8mm tube to fit 19mm hangers.

Can be used in conjunction with Raiser Blocks to mount to other diameter hanger tubes.

<b>PART NO</b>	<b>L6-P01-F3</b>
----------------	------------------



**Can't find what you're looking for? Call us on 01795 477280.**

# ACCESSORIES

**CONTOURED TRAY 72**

**LOCK AND LATCH 74**

**CALF PANEL 75**


**CYLINDER CARRIERS 76**

**CONTROL MOUNT 77**

# CONTOURED TRAY

## TRAY FOR WHEELCHAIRS AND SEATING SYSTEMS

Tray manufactured from 6mm clear plastic. Available with three mounting options.




	13"	15"	17"
TRAY DEPTH (A)	510 mm	560 mm	610 mm
TRAY WIDTH (B)	510 mm	560 mm	610 mm
CUT OUT WIDTH (C)	330 mm	360 mm	430 mm
CUT OUT DEPTH (D)	150 mm	200 mm	225 mm
	PART NUMBER & SIZE		
DROP IN BRACKET	L5-P30-S	L5-P30-M	L5-P30-L
SWING OVER BRACKET	L5-P45-S	L5-P45-M	L5-P45-L
SLIDE IN BRACKET	L5-P51-S	L5-P51-M	L5-P51-L

We can create a range of custom sizes and cutouts to match any requirements.

### THREE MOUNTING OPTIONS



DROP IN BRACKET



SWING OVER BRACKET



SLIDE IN BRACKET

### COMFORT PAD FOR CONTOURED TRAY

Our comfort pads sit on the front of the Contour Tray to create a comfortable area for the user. Made from soft 12.5mm foam and covered in grey wipe-clean vinyl. Dimensions of the comfort pad match the size of the contour tray shown opposite.



PART NUMBER & CONTOUR TRAY SIZE		
13" TRAY	15" TRAY	17" TRAY
L5-P33-S	L5-P33-M	L5-P33-L

### DROP IN TRAY RECEIVER SOCKETS



Fixed style receiver socket finished in chrome. Fits below wheelchair arm pads or to side arm frames. Supplied in pairs.

PART NO	L5-P20-F3
---------	-----------

# LOCK AND LATCH

## FOR DROP IN SEATS AND BACKRESTS

Designed by RMS, the innovative Lock and Latch System enables our Drop-in Seats (**Page 19**) to be quickly and securely attached to most standard wheelchair frames.

The latch mounting is made for retaining the seat drop in hooks in position on a wheelchair frame. Equipped with a simple push/pull slide action locking pin, the device has been designed with strength, ease of use and durability in mind.

The lock mounting offers a solid, fixed receiver for lower backrest brackets or rear seat base drop-hooks, with the system successfully crash tested to ISO 16840-4.

**LL19/22/25** is available in standard sets of two locks and two latches. **LLA3AP** sets cover both the folding and fixed height adjustable push handle options of Action 3 chairs. All sizes and types are available in single items.



PART NO	PART LIST
LL19	2 locks and 2 latches to suit 19mm tubing
LL22	2 locks and 2 latches to suit 22mm tubing
LL25	2 locks and 2 latches to suit 25mm tubing
LLA3AP	4 locks and 2 latches to suit Action 3 height adjustable handles
LL19S	Single sprung latch to suit 19mm tubing
LL22S	Single sprung latch to suit 22mm tubing
LL25S	Single sprung latch to suit 25mm tubing
LLA3APS	Single sprung latch to suit Action 3 height adjustable handles
LL19F	Single fixed lock to suit 19mm tubing
LL22F	Single fixed lock to suit 22mm tubing
LL25F	Single fixed lock to suit 25mm tubing
LLA3APF	Single fixed lock to suit Action 3 height adjustable handles



# CALF PANEL

## COMFORTABLY SUPPORTS THE BACK OF THE LEGS

A soft neoprene panel with bound edges which can be easily attached to a wheelchair footplate hanger using hook and loop straps - Creating an extra level of comfort.



	PART NUMBER			
	CS003	CS004	CS005	CS006
SIZE	SMALL	MEDIUM	LARGE	X LARGE
HEIGHT	75 mm	100 mm	150 mm	150 mm
WIDTH	330 mm	430 mm	560 mm	640 mm

# CYLINDER CARRIERS

## CYLINDER CARRIER FOR TILT IN SPACE WHEELCHAIRS

Suitable for most tilt in space wheelchairs, incorporating additional bracing straps and depth adjustable front enclosure panel.

The carrier allows the bottle to be in a fully controlled position even with the wheelchair in a reclined position.

PART NO

QR-OX-C



## STANDARD OXYGEN CYLINDER CARRIER

Designed to hold a wide range of medical Oxygen Cylinder Carriers.

This quick release oxygen cylinder carrier will fit most standard non tilt NHS wheelchairs, and is easily removable for quick folding and storage.

PART NO

QR-OX-A



## COMPATIBLE CYLINDERS

Our cylinder carriers are compatible with **BOC** (DD, CD & PD), **Medigas** (PD & MB), **Air Products** (PA2) and all other oxygen cylinders up to 535mm in height.


If you are unsure if your medical device will fit our holders, please call our technical team on **01795 477280** for advice.



# CONTROL MOUNT

## CAN BE MOUNTED IN A VARIETY OF WAYS

- > Fully adjustable universal control mounting bracket
- > Suits most types of control joysticks with two standard plate options
- > High quality and durable chrome finish



L8-P31-F3-#A	Standard Plate (50mm SQ)
L8-P31-F3-#B	Large Plate (70mm SQ)

# = clamp size for attachment to wheelchair frames - 16 / 19 / 22 / 25 mm.

## THE ADVANTAGE OF MANUFACTURING

**RMS are not only a seller - but a manufacturer of premium products.**

This means we are perfectly placed to make anything you may need to suit your requirements. If you haven't been able to find it in this catalogue please don't hesitate to call us - we have a team of in house designers and engineers who are able to make exactly what you are looking for!



# PARTS AND REFERENCES

PLATES & CLAMPS	80
-----------------	----

BUCKLES	81
---------	----

WEBBING FITTINGS	82
------------------	----

ELASTIC CORD	83
--------------	----

HOOK & LOOP	83
-------------	----

KNOB / PIN / LEVERS	84
---------------------	----

NUTS & BUNGS	85
--------------	----

TUBE CLAMPS	86
-------------	----

COLLARS	87
---------	----

CHROME TUBING	87
---------------	----

REFERENCE TABLES	88
------------------	----

LOAN STOCK	96
------------	----

# PLATES & CLAMPS

## TRIPLE SLOT MOUNTING PLATES



Triple slot mounting for 25mm and 40mm webbing. Injection moulded in glass reinforced plastic. Supplied as standard with all RMS pelvic belts and harnesses. Supplied in pairs.

PART NO	SIZE
<b>MP012</b>	25 mm
<b>MP034</b>	40 mm

## LOCKING CLAMPS



Locking clamps for 25mm and 40mm webbing. Injection moulded in glass reinforced plastic. Supplied as standard with all RMS pelvic belts and harnesses. Supplied in pairs.

PART NO	SIZE
<b>WC25</b>	25 mm
<b>WC40</b>	40 mm

## FRAME CLAMPS



One size universal clamp that fits 19mm, 22mm and 25mm diameter tube. Supplied with a 6mm Allen key fixing. Our frame clamps are supplied as standard with all RMS pelvic belts and harnesses. Discounts are available for bulk purchase.

PART NO	<b>MC123</b>
---------	--------------

## ANKLESURE FITTINGS



Anklesure fitting kit is supplied as standard with anklesures. Comes complete with 5mm fixings, nyloc nuts and tri-glides.

PART NO	SIZE
<b>AS006</b>	XS / S
<b>AS007</b>	M / L / XL

**Fittings, mountings and clamps advice - call our technical team on 01795 477280**

# BUCKLES



**A - PULL TIGHT  
METAL BUCKLE**



**B - DUAL PULL  
SIDE RELEASE**



**C - TWIN LOCK  
ANTI-TAMPER**



**D - PULL TIGHT  
CENTRE RELEASE**



**E - FIXED LOCK  
CENTRE RELEASE**



**F - CAM  
BUCKLES**



**G - SWIVEL PULL  
TIGHT BUCKLE**

RMS buckles are available in a range of sizes to suit our standard webbing - 25mm, 40mm and 50mm. Designed to suit a variety of wheelchair applications, our high quality injection moulded plastic buckles come in packs of 20, while our robust metal buckles come in packs of 10.

REF	25 MM	40 MM	50 MM	QTY
A	L9-P04-01A	L9-P04-01B	N/A	10
B	L9-P04-02A-X20	L9-P04-02B-X20	N/A	20
C	L9-P04-03A-X20	N/A	L9-P04-03B-X20	20
D	L9-P04-04A-X20	L9-P04-04B-X20	L9-P04-04C-X20	20
E	N/A	L9-P04-05-X20	N/A	20
F	L9-P04-06A-X20	L9-P04-06B-X20	N/A	20
G	L9-P04-07-X20	N/A	N/A	20

# WEBBING FITTINGS

## WEBBING

Lengths of webbing used in all RMS belts and harnesses pre-cut into 10 metre lengths.

PART NUMBER	L9-P01-01	L9-P01-02	L9-P01-03
WEBBING SIZE	25 mm	40 mm	50 mm

## WEBBING BRIDGE



Webbing bridge for webbing up to 40mm.

PART NUMBER	QTY
L9-P05-02-X50	50

## WEBBING FITTINGS



A - TRI  
GLIDES



B - D  
RINGS



C - PULL TIGHT  
LADDER LOCKS



D - TRI  
LOOP

REF	25 MM	40 MM	50 MM	QTY
A	L9-P05-01A-X20	L9-P05-01B-X20	L9-P05-01C-X20	20
B	L9-P05-03A-X20	L9-P05-03B-X20	L9-P05-03C-X20	20
C	L9-P05-04A-X50	L9-P05-04B-X50	N / A	50
D	L9-P05-07-X20	N / A	N / A	20



# ELASTIC CORD

## ELASTIC CORD AND FITTINGS



DESCRIPTION	PART NUMBER	QTY
10m length elastic cord	<b>L9-P05-06</b>	1
Cord lock and cord end	<b>L9-P05-05-X50</b>	50

# HOOK & LOOP

## STANDARD HOOK & LOOP

Standard hook and loop quick fastening tape supplied in pre-cut 5 metre lengths.

DESCRIPTION	PART NO	DESCRIPTION	PART NO
Hook (25mm)	<b>L9-P02-01A</b>	Loop (25mm)	<b>L9-P02-02A</b>
Hook (40mm)	<b>L9-P02-01B</b>	Loop (40mm)	<b>L9-P02-02B</b>
Hook (50mm)	<b>L9-P02-01C</b>	Loop (50mm)	<b>L9-P02-02C</b>

## SELF ADHESIVE HOOK & LOOP




Self Adhesive hook and loop quick fastening tape supplied in pre-cut 5 metre lengths.

DESCRIPTION	PART NO	DESCRIPTION	PART NO
Hook (50mm)	<b>L9-P02-03</b>	Loop (50mm)	<b>L9-P02-04</b>

# KNOB / PIN / LEVER

## VARIETY OF FITTINGS


RMS supply a variety of fittings to suit a range of applications. If you can't find what you are looking for please contact our technical team who will be happy to help.

<div>    </div>			
REF	DESCRIPTION	PART NUMBER	QTY
A	Q/R ball locking pin (1/4" diameter) c/w cable	L9-P06-01-X10	10
	Q/R pull pin (1/4" diameter)	L9-P06-02-X10	10
	Q/R pin cable	L9-P06-03-X10	10
	9mm spring pin	L9-P06-04-X20	20
	5mm spring pin	L9-P06-05-X20	20
B	M6 male knobs	L9-P06-06-X50	50
	M8 male knobs	L9-P06-07-X25	25
	M6 female knobs	L9-P06-08-X50	50
	M8 female knobs	L9-P06-09-X25	25
	M8 brake ball knob	L9-P06-10-X25	25
C	M6 female parking level (metal construction)	L9-P06-11-X10	10
	M6 female parking level (metal construction)	L9-P06-12-X10	10

## CLINCH / TUBE NUTS

DESCRIPTION	PART NUMBER	QTY
M5	L9-P08-02A-X100	100
M6	L9-P08-02B-X100	100


# NUTS & BUNGS

DESCRIPTION		PART NUMBER	QTY
NYLOCK NUTS			
	M5 nylock nut	L9-P08-03A-X100	100
	M6 nylock nut	L9-P08-03B-X100	100
	M8 nylock nut	L9-P08-03C-X100	100
M5 nylock nut with dome head		L9-P08-04A-X100	100
M6 nylock nut with dome head		L9-P08-04B-X100	100
M8 nylock nut with dome head		L9-P08-04C-X100	100
T NUTS (PLATED)			
M5 - 4 prong		L9-P08-01A-X200	200
M6 - 4 prong		L9-P08-01B-X200	200
M8 - 4 prong		L9-P08-01C-X200	200
BUNGS			
1/2" square bung		L9-P07-01A-X100	100
5/8" square bung		L9-P07-01B-X100	100
3/4" square bung		L9-P07-01C-X100	100
7/8" square bung		L9-P07-01D-X100	100
1" square bung		L9-P07-01E-X100	100
1/2" round bung		L9-P07-02A-X100	100
	5/8" round bung	L9-P07-02B-X100	100
	3/4" round bung	L9-P07-02C-X100	100
	7/8" round bung	L9-P07-02D-X100	100
	1" round bung	L9-P07-02E-X100	100

# TUBE CLAMPS

## STEEL TUBE CLAMPS

In chrome plating or unplated stainless steel. Come with bolt, washer and nylock nut.

DESCRIPTION		PART NUMBER	QTY
19mm round / narrow / plated		L3-P41-F3-X10	10
22mm round / narrow / plated		L3-P39-F3-X10	10
25mm round / narrow / plated		L3-P37-F3-X10	10
19mm round / wide / plated		L3-P40-F3-X10	10
22mm round / wide / plated		L3-P38-F3-X10	10
25mm round / wide / plated		L3-P36-F3-X10	10
	19mm round / narrow	L3-P41-X10	10
	22mm round / narrow	L3-P39-X10	10
	25mm round / narrow	L3-P37-X10	10
	19mm round / wide	L3-P40-X10	10
	22mm round / wide	L3-P38-X10	10
	25mm round / wide	L3-P36-X10	10
19mm / square / narrow / plated		L3-P35-F3-X10	10
22mm / square / narrow / plated		L3-P34-F3-X10	10
19mm / square / narrow		L3-P35-X10	10
22mm / square / narrow		L3-P34-X10	10
22mm / round / wide / two-piece		L3-P33-X10	10
15 x 20mm rectangle / narrow / plated		L3-P32-F3-X10	10
15 x 20mm rectangle / narrow		L3-P32-X10	10

Can't find what you're looking for? Call our technical team on 01795 477280

# COLLARS

## TRAY AND STEM COLLARS



DESCRIPTION	PART NUMBER	QTY
5/8" Tray collars / round	<b>L5-P13-F3-X25</b>	25
1/2" stem collars / square	<b>L8-P08-F3-X25</b>	25
5/8" stem collars / square	<b>L8-P08-F3B-X25</b>	25

All of our component parts can be supplied as a single item if you have lost the one that came with your product.

# CHROME TUBING

## RMS PRE-CUT CHROME TUBE

Standard 18 gauge, other sizes available on request - tube pre-cut in 1 metre lengths.

DESCRIP.	PART NO.	QTY	DESCRIP.	PART NO.	QTY
1/2" square	<b>ST-SQ-13-X5</b>	5	1/2" round	<b>ST-RD-13-X5</b>	5
5/8" square	<b>ST-SQ-16-X5</b>	5	5/8" round	<b>ST-RD-16-X5</b>	5
3/4" square	<b>ST-SQ-19-X5</b>	5	3/4" round	<b>ST-RD-19-X5</b>	5
7/8" square	<b>ST-SQ-22-X5</b>	5	7/8" round	<b>ST-RD-22-X5</b>	5
1" square	<b>ST-SQ-25-X5</b>	5	1" round	<b>ST-RD-25-X5</b>	5

# REFERENCE TABLES

## VIRTUS SEATING SYSTEM

PAGE 6

	SIZE 1	SIZE 2	SIZE 3
SEAT DEPTH	190 to 370	260 to 450	340 to 520
PELVIC WIDTH	210 to 320	250 to 360	300 to 410
THORACIC WIDTH	190 to 360	250 to 400	310 to 460
SACRAL PAD HEIGHT	100	125	150
MINIMUM BACK HEIGHT	300	375	475
DYNAMIC BACK MOVEMENT	15°	15°	15°
MAX USER WEIGHT (MOBILITY)	135 kg	135 kg	135 kg
MAX USER WEIGHT (HIGH/LOW)	60 kg	60 kg	60 kg

## CADDY SEATING SYSTEM


PAGE 8

	ONE SIZE - BUILT TO ORDER
SEAT WIDTH	150 to 425
SEAT DEPTH	200 to 500 (+ 50mm growth adjustment)
BACK WIDTH	200 to 475
BACK HEIGHT	350 to 650 (+ 75mm growth adjustment)
MAX USER WEIGHT	136 kg

FOR MORE DETAILS AND FULL PRODUCT SPECIFICATIONS  
VISIT OUR WEBSITE AT [WWW.RMS-REHAB.CO.UK](http://WWW.RMS-REHAB.CO.UK)

# KUDU WHEELCHAIR

PAGE 10

				
	SIZE 1	SIZE 2	SIZE 3	SIZE 4
SEAT WIDTH (A)	260	300	340	380
SEAT DEPTH (B)	220 to 320	270 to 370	310 to 410	350 to 450
BACK HEIGHT (C)	370 to 460	400 to 520	430 to 580	430 to 630
FOOTREST TO SEAT (D)	160 to 310	160 to 380	260 to 450	260 to 450
SEAT HEIGHT (E)	480	480	480	480
OVERALL WIDTH (F)	605	645	685	725
OVERALL DEPTH (G)	690	690	740	740
BACKREST ANGLE	-5° to 30°	-5° to 30°	-5° to 30°	-5° to 30°
SEAT PLANE ANGLE	-3° to 45°	-3° to 45°	-3° to 45°	-3° to 45°
MAX USER WEIGHT	40 kg	50 kg	57 kg	57 kg

# REFERENCE TABLES

## ORMESA JUDITTA

PAGE 12

	SIZE 36	SIZE 40	SIZE 45	SIZE 50
SEAT WIDTH	360	400	450	500
SEAT DEPTH	400 to 490	400 to 490	400 to 490	400 to 490
BACK WIDTH	470	470	520	520
SEAT TILT	10° to 35°	10° to 35°	10° to 35°	10° to 35°
BACK TILT	10° to 38°	10° to 38°	10° to 38°	10° to 38°
MAX WEIGHT	120 kg	120 kg	130 kg	140 kg
USER HEIGHT	1400 to 1900	1400 to 1900	1400 to 1900	1400 to 1900

## DORY WHEELCHAIR BASE

PAGE 14

	SMALL	MEDIUM	LARGE
SEAT WIDTH	310 to 370	370 to 430	430 to 500
SEAT DEPTH	350 to 450	400 to 500	450 to 550
SEAT ANGLE	0° to 50° or -5° to 45°		
SEAT RAIL HEIGHT	430 - 450 - 460 - 480		
BACKREST ANGLE	90° to 130° (four positions)		
MAX USER WEIGHT	135 kg		

CAN'T FIND THE DIMENSIONS YOU ARE LOOKING FOR?  
CALL OUR TECHNICAL DEPARTMENT ON 01795 477280



# MY-LYTE DISCOVERY

PAGE 22

SEAT UNIT SPECIFICATIONS		MY-LYTE BASE SPECIFICATIONS	
SEAT WIDTH	130 to 270	MAX USER WEIGHT	25 kg
SEAT DEPTH	130 to 300	HANDLE TO FLOOR	900 to 1270
BACKREST HEIGHT	240 to 390	TILT IN SPACE	up to 40°
SEAT TO HEAD HEIGHT	450 to 580	WIDTH x DEPTH	640 x 840
FOOTPLATE HEIGHT	140 to 280	FRAME WEIGHT	12 kg
CHEST WIDTH	120 to 250	FOLDED SIZE	850 x 630 x 500

# MARLEY BUGGY

PAGE 24

	SIZE 1	SIZE 2
SEAT WIDTH (WITH PELVIC SUPPORTS FITTED)	200 to 270	260 to 320
SEAT DEPTH	230 to 280	290 to 350
SEAT TO FLOOR HEIGHT (UPRIGHT POSITION)	490	520
BACKREST HEIGHT (FROM SEAT BASE)	510	570
THORACIC WIDTH	120 to 210	170 to 240
THORACIC HEIGHT (FROM SEAT BASE)	150 to 340	160 to 430
FOOTPLATE HEIGHT	130 to 280	125 to 330
PUSH HANDLE HEIGHT (FROM FLOOR)	910 to 1250	925 to 1270
TILT IN SPACE ANGLE	15° to 50°	15° to 50°
MAX USER WEIGHT	35 kg	35 kg

# REFERENCE TABLES

## ORMESA BUG

PAGE 26



	SMALL	MEDIUM
SEAT WIDTH (A)	200 to 300	250 to 360
BACKREST HEIGHT (B)	560 to 620	600 to 750
SEAT UNIT WIDTH (C)	370	460
FLOOR TO SEAT HEIGHT (D)	520	550
SEAT DEPTH (E)	200 to 300	300 to 400
FOOTPLATE HEIGHT (F)	140 to 300	200 to 380
FOOTPLATE ANGLE (G)	0° to 35°	5° to 35°
BACKREST ANGLE (J)	0° to 35°	0° to 40°
OVERALL HEIGHT (H)	1000 to 1100	1120 to 1270
OVERALL WIDTH (I)	570	620
OVERALL LENGTH (L)	670 to 960	800 to 1070
MAX USER WEIGHT	35 kg	45 kg

# ORMESA CLIP

PAGE 28

	CLIP 1	CLIP 2	CLIP 3	CLIP 4
BACKREST WIDTH	400	400	400	450
SEAT WIDTH	330	330	360	450
OVERALL WIDTH	510	510	510	570
OVERALL HEIGHT	990	990	1040	1130
BACKREST ANGLE	0° to 12°	0° to 12°	0° to 12°	0° to 10°
SEAT DEPTH	250	300	350	380
BACKREST HEIGHT	550	590	640	710
SEAT TO FOOTREST	120 to 200	210 to 310	270 to 370	370 to 470
USER HEIGHT	1100 - 1250	1200 - 1400	1350 - 1550	1500 - 1750
MAX USER WEIGHT	30 kg	35 kg	40 kg	76 kg

# PIPER COMFORT

PAGE 29

BACKREST HEIGHT	680
SEAT DEPTH	290
SEAT WIDTH	250 to 250 (stepped)
SEAT TO FOOTREST	250 to 375
BACKREST ANGLE	90° to 135°
DIMENSIONS (L x W x H)	310 x 300 x 1000
MAX USER WEIGHT	50 kg

# REFERENCE TABLES

## CONVAID CRUISER

PAGE 30

	CX10	CX12	CX14
SEAT WIDTH	250	300	350
SEAT DEPTH	150 to 280	200 to 330	250 to 380
SEAT BACK HEIGHT	530	560	640
SEAT TO FOOTPLATE	130 to 530	130 to 630	100 to 560
SEAT TO FLOOR	580	630	530
SEAT BACK ANGLE	85° / 90° / 95°		
SEAT ANGLE	30°		
SHOULDER STRAP HEIGHT	280 to 480	300 to 510	380 to 580
WEIGHT OF CHAIR	12 kg	12 kg	13 kg
WEIGHT CAPACITY	30 kg	30 kg	46 kg
	CX16	CX18	
SEAT WIDTH	400	450	
SEAT DEPTH	280 to 410	360 to 530	
SEAT BACK HEIGHT	710	640	
SEAT TO FOOTPLATE	100 to 570	200 to 580	
SEAT TO FLOOR	580	660	
SEAT BACK ANGLE	85° / 90° / 95°		
SEAT ANGLE	30°		
SHOULDER STRAP HEIGHT	430 to 630	410 to 560	
WEIGHT OF CHAIR	14 kg	14 kg	
WEIGHT CAPACITY	77 kg	77 kg	

	CRX30	CRX34	CRX38	CRX42
BACKREST HEIGHT	550 to 650	580 to 690	660 to 930	660 to 930
SEAT DEPTH	280 to 340	290 to 350	320 to 390	330 to 400
SEAT WIDTH	300	340	380	420
SEAT TO FOOTREST	310 to 440	320 to 460	290 to 450	350 to 520
BACKREST ANGLE	90° or 89°	94° or 91°	90° or 88°	94° or 92°
SEAT ANGLE	20°	25°	25°	25°
MAX USER WEIGHT	45 kg	55 kg	75 kg	75 kg



**The RMS website** holds a vast library of information relating to all of our mobility products. If you are unable to find the information you need in this catalogue we urge you to visit [www.rms-rehab.co.uk](http://www.rms-rehab.co.uk).

# LOAN STOCK

---

- RMS products and accessories from this catalogue can be held on site at NHS wheelchair services, private health providers or approved repairers - meaning clients can benefit from immediate fitting of products.
- Products are only paid for once they have been issued, reducing stock purchase levels and minimising administration charges.
- To qualify you only need to place one order per month, with stock levels and product ranges agreed on a mutually acceptable level for both parties.
- A monthly audit is required for continued supply of loan stock - this can be carried out by either an on-site administrator or an RMS representative.

**TO FIND OUT MORE CALL OUR SALES TEAM ON + 44 (0) 1795 477280**







Thompson House, Unit 10, Styles Close,  
Sittingbourne, Kent, ME10 3BF.

**Tel:** +44 (0) 1795 477280

**Fax:** +44 (0) 1795 229692

**Email:** [sales@rms-rehab.co.uk](mailto:sales@rms-rehab.co.uk)

**[www.rms-rehab.co.uk](http://www.rms-rehab.co.uk)**